

SUPERIOR BY DESIGN.

EURO VISTA FOLD™ THERMALLY BROKEN ALUMINUM DOOR SYSTEM

euro-wall®

FOLDING SLIDING STACKING PIVOT

www.euro-wall.com
888.989.EURO (3876)

SPECIFICATIONS

EURO VISTA FOLD™ EXTERIOR ALUMINUM FOLDING DOOR SYSTEM

Maximum / Minimum Specifications

Max Panel Weight:	330 lbs each panel
Min Panel Width:	18”
Max Panel Width:	52”
Min Panel Height:	32”
Max Panel Height:	144”
Door Thickness:	2-1/4”
Max # of Panels:	Unlimited

NOTE: When using maximum panel widths & heights panels may exceed maximum panel weight of 330 lbs. Calculated weight check should be done.

Extrusions:
Extruded Aluminum 6063-T5.

Extrusion Finishes:
1. **Clear anodized Class 1.**
2. **Standard Mill Finish available for custom colors from Euro-Wall.**
3. **White and bronze Kynar Coat finish: D2000-AAMA 2605.**
4. **Custom Powder Coat finishes available D3000-AAMA 2604 and 2605.**
5. **Interior wood finish.**

Hardware:
Stainless Steel (316SS) Components with Aluminum hinges.

Twinpoint Hardware:
Stainless Steel (304SS) & Aluminum Components.

Lever Lock Sets:
Bronze, brushed satin or polished stainless steel.

DSD Multi-point Door Locks:
Faceplate, latch and hooks are 304SS.

WARRANTY

Euro-Wall 10 Year Warranty

Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years from the date of purchase.

3 STANDARD FRAME & DOOR PANEL FINISHES

White Clear Bronze

- Anodized, Powder Coat or Kynar® are available
- 40 Custom Wood Grain finishes available (not shown)
- 30 Solid Colors: Custom powder coat finishes available (not shown)
- 40 Metallic Custom Powder coat finishes available (not shown)
- Manufacturer color match options

Interior Wood Clad Option

FEATURES OF THE EURO VISTA FOLD™ DOOR SYSTEM



Multi-point Door Lock

• (3 hooks) + top & bottom shootbolts = 5 point

1. Segmented, straight or radius door options available
2. 90 degree postless corner unit option available
3. Door panels designed for IG, laminated impact and IG impact glass
4. Twinpoint hardware in stainless steel (304SS)
5. Door panel corner key for strength and security
6. Weatherstripping on all door panels and frames
7. 6063-T5 aluminum profiles in all Euro extrusions
8. Stainless steel lever lock set
9. Stainless steel (304SS) 5 or 6 point MK2 multi-point door lock
10. Optional matching OEM hardware handles

OPTIONS



Twinpoint assembly is used in securing each pair of folding door panels in the closed position.

Bronze & Brushed Stainless Steel
(White Option Not Shown)

FINISH OPTIONS

1	2	3	4
White=	Brushed Satin	Stainless Steel	Bronze

EURO (ALUMINUM TWINPOINT SWING HANDLE) FINISHES



Available Finishes
1, 2, 4

EURO SERIES LEVER LOCK SET



Available Finishes
3, 4

MULTI-POINT LOCK

Available Finishes
3

EURO INTERMEDIATE CARRIER (SHOWN)



Available Finishes (Hinges)
1, 2, 3, 4

NOTE: The colors shown in this brochure give only an approximation of color and finish. Actual colors and finishes may vary.

SUPERIOR BY DESIGN

©2017-2018 Euro-Wall Systems, LLC • www.euro-wall.com

FOLDING DOOR PANEL OPTIONS

CODE	OPENING CONFIGURATION		
2L		2R	
2L1R		1L2R	
3L		3R	
3L1R		1L3R	
4L		2L2R	
4L1R			
3L2R			
5L			
3L3R			
7L			
4L3R			
5L2R			
5L5R			
5L7R			
5L9R			
5L11R			

NOTE: The configurations on this page are just a few examples of the numerous possibilities for Euro Vista Fold™ Door layout options.

©2017-2018 Euro-Wall Systems, LLC • www.euro-wall.com

EURO VISTA FOLD™ CROSS SECTION

OUTSWING



INSWING



SUPERIOR

©2017-2018 Euro-Wall Systems, LLC • www.euro-wall.com

EURO VISTA FOLD™ GLAZING DETAILS









Modified Sill



Panel to Floor Channel Detail



Panel to ADA Sill Detail

©2017-2018 Euro-Wall Systems, LLC • www.euro-wall.com

TEST PERFORMANCE

California Title 24 Compliant
ASTM 283-4 / ASTM 547-00 / ASTM330-02 / AAMA 1304
Air Infiltration: DP50
Water Leakage Resistance: DP50
Wind Load Resistance: DP50

euro-wall®

FOLDING | SLIDING | STACKING

888.989.EURO (3876)

MANUFACTURING

2200 Murphy Court
North Port, Florida 34289
888.989.3876 • 941.979.5316

SHOWROOM

1211 Stirling Road, Unit 102,
Dania Beach, Florida 33004
954.610.2572

www.euro-wall.com

Proud Member of the American Architectural Manufacturers Association.