EURO VISTA STACK™

FRAMED / FRAMELESS STACKING DOORS

euro-wall®

FOLDING SLIDING STACKING PIVOT

www.euro-wall.com
888.989.EURO (3876)

SYSTEM THRESHOLDS

Maximum / Minimum Specifications

Max Panel Weight:	660 lbs each panel
Min Panel Width:	18”
Max Panel Width:	96”
Min Panel Height:	24”
Max Panel Height:	188”
Panel Thickness:	2-1/4”
Max # of Panels:	Unlimited

NOTE: When using maximum panel widths & heights, panels may exceed maximum panel weight of 350 lbs. Calculated weight check should be done. For installations in Florida, please see the Florida Product Approval for usage and limitations.

SYSTEM HIGHLIGHTS

Top hung stacking glass doors create a strong, safe and secure way of effortlessly opening and closing your entrance while maintaining the aesthetic appeal of your residential or commercial space. Stacking glass doors provide an uninterrupted view, whether open or closed. They slide, pivot and stack in a similar style to bi-folding doors and stack against the walls or into pocket locations at either end of the opening.

Panel Options
The Euro Vista Stack™ can be built as framed units (standard door panels) or frameless units (all glass panels with a narrow top and bottom rail)

Configuration
The Euro Vista Stack can be stacked to the right, left or both right and left as a two component door system

Hardware
Non-corrosive material / stainless steel available

Twinpoint Hardware
Stainless steel (304SS) and aluminum components

16’ Tall Panel Flexibility
The massive panel height abilities make the Vista Stack an ideal solutions for residences, store fronts, stadiums, private suites, restaurants, room dividers and more

Frame Material Options
Wood, aluminum, thermally broken aluminum, aluminum with wood cladding

Stacking Options
Standard stacking options are 90° perpendicular, parallel, 135° parallel (see next page for details) - custom stacking options are also available

Pivot Door Option
Certain stacking configurations allow the application of an active pivot door with a 5 point locking system (3 hooks + top & bottom shootbolts)

Sills
Does not require a threshold / floor track

Matching Fixed Units
Matching transom and sidelight units available

SYSTEM COMPONENTS



STACKING / PARKING OPTIONS

The Euro Vista Stack™ allows all of the visible panels to be stacked to one side or two sides of a door opening allowing for a maximum uninterrupted view. In addition to our standard parking options (90° perpendicular, parallel and 135° Perpendicular), **Euro-Wall can consult with you about custom parking configurations.**

Parallel Stacking



90° Perpendicular Stacking



135° Parallel Stacking

ALUMINUM & WOOD PANEL FINISH OPTIONS

STANDARD FRAME & ALUMINUM PANEL FINISHES

White | Clear Anodized | Bronze | Black

- Anodized, powder coat or Kynar® finishes available
- Custom powder coat or Kynar® finishes available
- Manufacturer color match options
- 40 Custom wood grain finishes available

INTERIOR WOOD CLAD FINISH OPTION

- Douglas Fir
- Mahogany / Sapele
- White Oak



STANDARD WOOD PANEL FINISHES

White Oak | Douglas Fir | Mahogany / Sapele

In addition to the three standard wood finishes, Euro-Wall's Euro Vista Stack™ wood panel can be finished with a wide variety of other exotic species. Please see page 7 of this brochure for additional custom wood options.

NOTE: The Euro Vista Stack™ is available in the following panel options:

- **Wood**
- **Aluminum**
- **Aluminum Thermally Broken**
- **Aluminum with Wood Clad**

HARDWARE / HANDLE FINISH OPTIONS

HARDWARE

Available Finishes

Brushed Satin
Bronze
Black

TWINPOINT

Available Finishes

White
Brushed Satin
Bronze
Black

©2017-2018 Euro-Wall Systems, LLC • www.euro-wall.com

CONFIGURATION SAMPLES

STRAIGHT

SEGMENTED



NOTE: There are limitless configuration options are available to fit your commercial or residential needs. Please call one of our product specialists for custom configuration consultation.
1.888.989.3876

SUPERIOR BY DESIGN

©2017-2018 Euro-Wall Systems, LLC • www.euro-wall.com

FRAMED STACKING PANEL CROSS SECTION



FRAMELESS STACKING PANEL CROSS SECTION



SUPERIOR

GLAZING OPTIONS

Framed Panel Glass Options

- 1/4” Tempered
- 9/16” Laminated
- 1” IG
- 1” IG Laminated

Frameless Panel Glass Options

- 3/8” Tempered
- 1/2” Tempered
- 1/2” Laminated

©2017-2018 Euro-Wall Systems, LLC • www.euro-wall.com

ADDITIONAL OPTIONS

OPTIONAL FIXED UNIT / TRANSOM



FIXED UNITS

Fixed units are a great way to add more light in and / or to enhance the aesthetic of your stacking door. Fixed units can be fabricated as stand alone windows or to match any Euro-Wall stacking door system. Euro-Wall fixed unit / transoms are constructed with high grade 6063-T5 aluminum and are thermally broken. Fixed units are available in aluminum, wood or aluminum with wood cladding construction finishes. The Euro Vista Fixed Unit™ can be tailor made to fit your needs.

Top View: Mullbar Attachment Detail



Mullbar Mullbar

CUSTOM WOOD / CUSTOM WOOD CLADDING OPTIONS



African Rosewood | Ash | Birch | Butternut | Curly Maple | Douglas Fir *Standard Finish Option*

Red Oak | Mahogany / Sapele *Standard Finish Option* | Tigerwood | Walnut | White Oak *Standard Finish Option* | Zebrawood

©2017-2018 Euro-Wall Systems, LLC • www.euro-wall.com

EURO-WALL 10 YEAR WARRANTY

Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years from the date of purchase.

888.989.EURO (3876)

www.euro-wall.com

euro-wall®

FOLDING | SLIDING | STACKING

MANUFACTURING

2200 Murphy Court
North Port, Florida 34289
888.989.3876 • 941.979.5316

SHOWROOM

1211 Stirling Road, Unit 102,
Dania Beach, Florida 33004
954.610.2572

Proud Member of the American Architectural Manufacturers Association.

AAMA