



EURO VISTA FIXED UNIT™

IMPACT / NON-IMPACT RATED EURO VISTA FIXED UNIT™

Approved for use in Miami-Dade HVHZ Zones
Florida Building Code Approved

Fixed Unit: Product Approval FL17432


Mullion: Product Approval FL26891

www.euro-wall.com
888.989.EURO (3876)


euro-wall®



FOLDING



SLIDING



STACKING



PIVOT

SPECIFICATIONS

EURO VISTA FIXED UNIT™

Maximum / Minimum Specifications

Min Fixed Unit Width:	12"
Max Fixed Unit Width:	144"
Min Fixed Unit Height:	12"
Max Fixed Unit Height:	144"
Fixed Unit Thickness:	2-1/4"
Max # of Fixed Unit:	Unlimited

Fixed units are a great way to add more light in and / or to enhance the aesthetic of your door. Fixed units can be fabricated as stand alone windows or to match any Euro-Wall folding or pivot door system. Aluminum fixed units are available as impact rated Florida Product Approved for severe weather regions or non-impact rated for temperate climates. The Euro Vista Fixed Unit™ can be tailor made to fit your needs.


Aluminum Fixed Unit Extrusions Extruded Aluminum 6063-T5.

Fixed Unit Highlights


- Thermally broken
- Available in aluminum or aluminum with wood clad
- Available as non-impact or impact rated Florida Product Approved
- Custom powder coat finishes available
- Built to match the style / finish of your application
- Built to match or accent Euro Pivot™ and Euro Vista Folding door systems
- 60+/- DP rating for aluminum impact and non-impact fixed units
- Optional simulated divided lites available

Aluminum Fixed unit Extrusions Detail

Aluminum Extrusion



Aluminum Extrusion with Wood Cladding






Optional interior wood cladding


Fixed Unit Configurations

Euro Vista Fixed Units™ can be adjoined with door systems as sidelights, transoms, a combination of both or may be used singularly by themselves as a fixed separate units. There are no limitations to the number of fixed units you can join together providing flexibility to create unique views for any opening.

(Below are just a few examples of some commonly used transom / sidelight configurations)




EURO VISTA FIXED UNIT™ MULLBAR SPECIFICATIONS



FINISH AND PRODUCT OPTIONS

STANDARD FIXED PANEL FINISHES

- Standard finishes: white, clear anodized, bronze or black Kynar finish AAMA 2605
- Custom powder coat or Kynar® finish AAMA 2605
- Interior wood clad finish option
- Metallic & wood grain custom finishes available
- Manufacturer color match options



White



Clear Anodized



Bronze



Black

WOOD CLADDING FINISHES

Our interior only wood clad finish options include our standard finishes of douglas fir, mahogany / sapele or oak. Additionally, we offer a variety of exotic wood species for cladding.



White Oak



Douglas Fir



Mahogany / Sapele

The colors shown in this brochure give only an approximation of color and finish. Actual colors and finishes may vary.



ALUMINUM EURO VISTA FIXED UNIT TEST PERFORMANCE

Approved for use in Miami-Dade HVHZ Zones
 Florida Building Code Approved
 Product Approval FL 17432
 TAS 201 TAS 202 TAS 203

AAMA / WDMA / CSA 101 / I.S.2 / A440-08 • NAFS-08

Air Infiltration: A2

Water Leakage Resistance: DP60 or PG60

Wind Load Resistance: DP60

Wind Zone 4 (Hurricane) ASTM (cycling) E1996: DP60

Wind Zone 4 (Hurricane) ASTM (impact) E1886: Pass

10 YEAR WARRANTY

*Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years from the date of purchase.

*See full Euro-Wall warranty for details

euro-wall®



FOLDING



SLIDING



STACKING



PIVOT

MANUFACTURING

2200 Murphy Court
 North Port, Florida 34289
 888.989.3876 • 941.979.5316

SHOWROOM

1211 Stirling Road, Unit 102,
 Dania Beach, Florida 33004
 954.610.2572

888.989.EURO (3876) • www.euro-wall.com

Proud Member of the American Architectural Manufacturers Association.

