



# EURO VISTA FIXED UNIT™

IMPACT / NON-IMPACT RATED EURO VISTA FIXED UNIT™



Approved for use in Miami-Dade HVHZ Zones

Florida Building Code Approved

Fixed Unit: Product Approval FL17432


Mullion: Product Approval FL26891

[www.euro-wall.com](http://www.euro-wall.com)  
888.989.EURO (3876)

**euro-wall®**



FOLDING



SLIDING



STACKING



PIVOT



# SPECIFICATIONS

## EURO VISTA FIXED UNIT™

### Maximum / Minimum Specifications

Min Fixed Unit Width:	18.125"
Max Fixed Unit Width:	144"
Min Fixed Unit Height:	18.125"
Max Fixed Unit Height:	144"
Fixed Unit Thickness:	2-1/4"
Max # of Fixed Unit:	Unlimited

Fixed units are a great way to add more light in and / or to enhance the aesthetic of your door. Fixed units can be fabricated as stand alone windows or to match any Euro-Wall folding or pivot door system. Aluminum fixed units are available as impact rated Florida Product Approved for severe weather regions or non-impact rated for temperate climates. The Euro Vista Fixed Unit™ can be tailor made to fit your needs.

### Aluminum Fixed Unit Extrusions


Extruded Aluminum 6063-T5.

#### Fixed Unit Highlights


- Thermally broken
- Available in aluminum or aluminum with wood clad
- Available as non-impact or impact rated Florida Product Approved
- Custom powder coat finishes available
- Built to match the style / finish of your application
- Built to match or accent Euro Pivot™ and Euro Vista Folding door systems
- 60+/- DP rating for aluminum impact and non-impact fixed units
- Optional simulated divided lites available

### Aluminum Fixed unit Extrusions Detail

#### Aluminum Extrusion



#### Aluminum Extrusion with Wood Cladding






Optional interior wood cladding


### Fixed Unit Configurations

Euro Vista Fixed Units™ can be adjoined with door systems as sidelights, transoms, a combination of both or may be used singularly by themselves as a fixed separate units. There are no limitations to the number of fixed units you can join together providing flexibility to create unique views for any opening.

(Below are just a few examples of some commonly used transom / sidelight configurations)



# EURO VISTA FIXED UNIT™ MULLBAR SPECIFICATIONS



## FINISH AND PRODUCT OPTIONS

### STANDARD FIXED PANEL FINISHES

- Standard finishes: white, clear anodized, bronze or black Kynar finish AAMA 2605
- Custom powder coat or Kynar® finish AAMA 2605
- Interior wood clad finish option
- Metallic & wood grain custom finishes available
- Manufacturer color match options



### WOOD CLADDING FINISHES

Our interior only wood clad finish options include our standard finishes of mahogany / sapele or oak. Additionally, we offer a variety of exotic wood species for cladding.



White Oak



Mahogany / Sapele

The colors shown in this brochure give only an approximation of color and finish. Actual colors and finishes may vary.



## ALUMINUM EURO VISTA FIXED UNIT TEST PERFORMANCE

Approved for use in Miami-Dade HVHZ Zones  
 Florida Building Code Approved  
 Product Approval FL 17432  
 TAS 201 TAS 202 TAS 203

AAMA / WDMA / CSA 101 / I.S.2 / A440-08 • NAFS-08

Air Infiltration: A2

Water Leakage Resistance: DP60 or PG60

Wind Load Resistance: DP60

Wind Zone 4 (Hurricane) ASTM (cycling) E1996: DP60

Wind Zone 4 (Hurricane) ASTM (impact) E1886: Pass

## 10 YEAR WARRANTY

\*Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years from the date of purchase.

\*See full Euro-Wall warranty for details

# euro-wall®



FOLDING



SLIDING



STACKING



PIVOT

### MANUFACTURING

2200 Murphy Court  
 North Port, Florida 34289  
 888.989.3876 • 941.979.5316

### SHOWROOM

1211 Stirling Road, Unit 102,  
 Dania Beach, Florida 33004  
 941.979.5316

888.989.EURO (3876) • [www.euro-wall.com](http://www.euro-wall.com)

Proud Member of the American Architectural Manufacturers Association.

