



SYSTEM THRESHOLDS

Maximum / Minimum Specifications

Max Panel Weight:	660 lbs each panel
Min Panel Width:	18"
Max Panel Width:	96"
Min Panel Height:	24"
Max Panel Height:	188"
Panel Thickness:	2-1/4"
Max # of Panels:	Unlimited

NOTE: When using maximum panel widths & heights, panels may exceed maximum panel weight of 660 lbs. Calculated weight check should be done.

SYSTEM HIGHLIGHTS

Top hung stacking glass doors create a strong, safe and secure way of effortlessly opening and closing your entrance while maintaining the aesthetic appeal of your residential or commercial space. Stacking glass doors provide uninterrupted views, whether open or closed. They slide, pivot and stack in a similar style to bi-folding doors and stack against the walls or into pocket locations at either end of the opening.

Panel Options

The Euro Vista Stack™ can be built as framed units (standard door panels) or frameless units (all glass panels with a narrow top and bottom rail)

Configuration

The Euro Vista Stack can be stacked to the right, left or both right and left as a two component door system

Hardware

Non-corrosive material / stainless steel available

Twinpoint Hardware

Stainless steel (304SS) and aluminum components

16' Tall Panel Flexibility

The massive panel height abilities make the Vista Stack an ideal solution for residences, store fronts, stadiums, private suites, restaurants, room dividers and more

Frame Material Options

Aluminum and aluminum with wood cladding

Stacking Options

Standard stacking options are 90° perpendicular, parallel, 135° parallel (see next page for details) - custom stacking options are also available

Pivot Door Option

Certain stacking configurations allow the application of an active pivot door with a 5 point locking system (3 hooks + top & bottom shootbolts)

Sills

Does not require a threshold / floor track


Matching Fixed Units

Matching transom and sidelite units available




SYSTEM COMPONENTS

Framed Stacking System Shown



STACKING / PARKING OPTIONS

The Euro Vista Stack™ allows all of the visible panels to be stacked to one side or two sides of a door opening allowing for maximum uninterrupted views. Custom stacking solutions available in addition to our standard parking options shown here.





©2023 Euro-Wall, LLC • www.euro-wall.com

ALUMINUM PANEL FINISH OPTIONS

STANDARD FRAME & ALUMINUM PANEL FINISHES







AAMA 2605



AAMA 2605



AAMA 2605

· Powder coat or Kynar® finishes available

- Custom powder coat or Kynar® finishes available
- · Manufacturer color match options
- · Custom wood grain finishes available

INTERIOR WOOD CLAD **FINISH OPTION**

- · Mahogany / sapele
- · White oak
- · Additional wood species available



STANDARD WOOD CLADDING FINISHES





White Oak

Mahogany / Sapele

In addition to the two standard cladding finishes, Euro-Wall's Euro Vista Stack™ can be finished with a wide variety of other exotic species. Please see page 7 of this brochure for additional custom wood cladding options.

NOTE: The Euro Vista Stack™ is available in the following panel options:

Aluminum
Aluminum with Wood Clad

HARDWARE / HANDLE FINISH OPTIONS

HARDWARE




Available Finishes **Brushed Satin Bronze Black**





Available Finishes White **Brushed Satin Bronze Black** Custom Colors Available

CONFIGURATION SAMPLES




NOTE: Custom configuration options are available to fit your commercial or residential needs. Please call one of our product specialists for custom configuration consultation. **1.888.989.3876**

SUPERIOR BY DESIGN


5

©2023 Euro-Wall, LLC • www.euro-wall.com

FRAMED STACKING PANEL CROSS SECTION



FRAMELESS STACKING PANEL CROSS SECTION



GLAZING OPTIONS

Framed Panel Glass Options


- 1/4" Tempered
- 9/16" Laminated
- 1" IG
- 1" IG Laminated

Frameless Panel Glass Options

- 3/8" Tempered
- 1/2" Tempered
- 1/2" Laminated


ADDITIONAL OPTIONS

OPTIONAL FIXED UNIT / TRANSOM



FIXED UNITS

Fixed units are a great way to add more light in and / or to enhance the aesthetic of your stacking door. Fixed units can be fabricated as stand alone windows or to match any Euro-Wall stacking door system. Euro-Wall fixed unit / transoms are constructed with high grade 6063-T5 aluminum and are thermally broken. Fixed units are available in aluminum or aluminum with wood cladding construction finishes. The Euro Vista Fixed Unit™ can be tailor made to fit your needs.



CUSTOM WOOD CLADDING OPTIONS



African Rosewood



Ash



Birch



Curly Maple



Mahogany / Sapele Standard Finish Option



Red Oak




Walnut



White Oak



Zebrawood



EURO-WALL 10 YEAR WARRANTY

Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years from the date of purchase.

888.989.EURO (3876)

www.euro-wall.com

MANUFACTURING

2200 Murphy Court North Port, Florida 34289 888.989.3876 • 941.979.5316

euro-wall

FOLDING | SLIDING | STACKING | PIVOT

SHOWROOM

1211 Stirling Road, Unit 102, Dania Beach, Florida 33004 954.610.2572

Proud Member of the American Architectural Manufacturers Association.

