



## SYSTEM THRESHOLDS

## **Maximum / Minimum Specifications**

Max Panel Weight: 700 lbs each panel

Min Panel Width: 24"

Max Panel Width: 60"

Min Panel Height: 32"

Max Panel Height: 144"

Panel Thickness: 1.75"

Max # of Panels: 6 (2 Operable in each direction)

Max Sq Ft: 60 FT²

**NOTE:** When using maximum panel widths & heights, panels may exceed maximum panel weight of 700 lbs.

## SYSTEM HIGHLIGHTS

## **Extrusions**

Extruded aluminum 6063-T5 with door panel corner keys for strength and security

## **Hardware**

Stainless steel, steel components with corrosion resistant material - salt spray tested 500 hours

## Flush or Low Profile Sill

Flush track with finished floor height or 3/8" exposed track - no sill riser required for water rating

#### **Hidden Pockets**

Pocket configuration option allows panels to slide into the wall, completely disappearing from view

#### **U** Factor

Lowest U factor for any available impact rated lift and slide panel

## **Track Options**

2 track - 5 track options for flexible panel configurations

## **Matching Fixed Units**

To match profile and glass

## **Largest Panel Sizes**

Thermal and non-thermal 13'+ tall panels - the tallest lift and slide panels available

## **Thermally Broken Option**

Thermally broken panel option - the largest thermally broken panels available

#### **Aesthetics**

Wood cladding option available

## **Corner Units**

90° postless corner units (all impact tested / Florida Product Approved)

## **Long Lasting Finish**

Standard finish coating is AAMA 2605, the highest quality finish available

## **Under Pressure**


Up to 15 lbs of water protection without sill riser

## **Unhindered View**

Highest glass to frame ratio available




## SYSTEM COMPONENTS



## TRACK OPTIONS

The Euro Vista Slide comes in a 2 track, 3 track, 4 track or 5 track configuration.



©2023 Euro-Wall, LLC • www.euro-wall.com

## PANEL FINISH OPTIONS

#### STANDARD FRAME & DOOR PANEL FINISHES



**AAMA 2605** 







AAMA 2605



Black AAMA 2605



- Powder coat or Kynar® finishes available
- Custom powder coat or Kynar® finishes available

Class I

- · Manufacturer color match options
- · Custom wood grain finishes available

# INTERIOR WOOD CLAD FINISH OPTION

- · Mahogany / sapele
- · White oak
- · Additional wood species available



## HARDWARE / HANDLE FINISH OPTIONS

## MULTIPOINT LOCK HANDLE



MULTIPOINT LOCK HANDLE



SILL / TRACK



Available Finishes

Silver

White

Bronze Black

Custom Colors Available

Available Finishes

Brushed Satin
Bronze
White

Custom Colors Available

Available Finishes

**Clear Anodized** 

**White** 

**Bronze** 

Black

Custom Colors Available

## **GLAZING OPTIONS**


Available glass for the Euro Vista Slide are:

- Insulated Glass
- Impact Insulated Glass

# SUPERIOR BY DESIGN

# CONFIGURATION SAMPLES





©2023 Euro-Wall, LLC • www.euro-wall.com


5

## EURO VISTA SLIDE™ SILL PROFILE DETAILS





For weather challenged climates, the flush and low profile hidden track systems are manufactured to meet water rating specifications. Additionally, Euro-Wall EXCLUSIVELY manufacturers a water rated hidden flush sill.

# NON-THERMALLY BROKEN & THERMALLY BROKEN PANEL OPTIONS



Non-Thermally Broken Panel Detail Thermally Broken Panel Detail







## **EURO-WALL 10 YEAR WARRANTY**

Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years from the date of purchase.

888.989.EURO (3876) W W W . e u r o - w a l l . c o m

## **MANUFACTURING**

2200 Murphy Court North Port, Florida 34289 888.989.3876 • 941.979.5316



FOLDING | SLIDING | STACKING | PIVOT

## **SHOWROOM**

1211 Stirling Road, Unit 102, Dania Beach, Florida 33004 941.979.5316

Proud Member of the American Architectural Manufacturers Association.

